

Message

From: Bordelon, David [David.Bordelon@WestonSolutions.com]
Sent: 7/18/2019 1:31:58 PM
To: Fife, Greg [fife.greg@epa.gov]
Subject: RE: Lowerline pic
Attachments: Lowerline ARS 1.JPG; Lowerline ARS 2.JPG; Lowerline ARS 3.JPG; Lowerline ARS 4.JPG

He just called. Is going to be here in 3 hrs. I don't have the actual pictures they used. Attached are the extracted versions, pretty low resolution.

Let me know if you want our geek squad to try and get a better jpg from the pdf.

Also, would you be able to move the assessment TDD 0001/19-227 due date to match the removal, 10/31/19? With all of the events going on down there I thought it might be best to leave a little time open on the TDD. Currently the interim is due on 7/28.

Thanks
David

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

-----Original Message-----

From: Fife, Greg [mailto:fife.greg@epa.gov]
Sent: Thursday, July 18, 2019 7:26 AM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>
Subject: Lowerline pic

** External Email **

Do you have the picture that ARS had in their PowerPoint that showed the orange paint that marked the hotspots? If you could, I would appreciate it if you could send it to me.

Thanks.

I'm trusting that Phillip will find you this morning.

Sent from my iPhone

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.